



Harbor Sheer Fabric Product Specifications

Benefits: Harbor sheer fabric is airy and light, with a delicate weave pattern and subtle texture. It diffuses light and softens the view to the outside while adding daytime privacy to the interior. 4 sophisticated neutral colors bring refined elegance to the window.

| Specifications: | | | |
|-------------------------|--------------------|--------------------|-------------------------|
| Category | Sheer Fabric | Composition | 100% Polyester |
| Openness Factor | ~7% | Thickness | 0.014" |
| UV Blockage | ~93% | Weight | 4.60 oz/yd ² |
| | | Width | 120" |
| FR (Fire Rating) | NFPA 701-2015 TM#1 | | |

| Environmental Benefits: | |
|-------------------------|--|
| | PVC-Free |
| | Lead Free |
| | SCS Advantage™ Gold certified for low VOC emissions into indoor air during product usage.* |
| | *The Indoor Advantage Gold standard aligns with both ANSI/BIGMA M7.1 and X7.1, and CA 01350. It is recognized by the EPA and GSA, and qualifies for many building rating systems, including LEED v4.1, BREEAM, WELL Building, and Living Building Challenge. |
| | Oeko-Tex® Standard 100 Certified- Free of harmful chemicals |

Care & Cleaning: Surface dust should be removed with duster or soft cloth. Never use abrasive products or solvents/industrial-based cleaners

For complete technical information, current test results, performance specifications and larger samples, contact Insolroll, Inc.

| Solar Optical Properties (Zero degree profile angle) | | | | | | | | | |
|--|----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| | | Solar | | | Visible | | | UV | O-F |
| | | T | R | A | T | R | A | T | |
| | | R | A | B | R | A | R | | |
| | | E | S | O | E | B | A | | |
| | | F | M | R | F | S | N | | |
| | | L | I | P | L | O | S | | O |
| | | E | T | T | E | R | M | | P |
| | | C | T | A | C | P | T | | E F |
| | | T | T | A | T | T | T | | N A |
| | | A | A | N | A | A | A | | N C |
| | | N | N | C | N | N | N | | E T |
| | | C | C | E | C | C | C | | S O |
| | | E | E | | E | E | E | | S R |
| Catalina Color | S | Ts | Rs | As | Tv | Rv | Av | Tuv | O-F |

| | | | | | | | | | |
|---------|---|-----|------|------|-----|------|------|-----|-----|
| Hermosa | F | 0.0 | 71.4 | 25.8 | 0.0 | 82.0 | 18.0 | 0.0 | 0.0 |
| Runyon | F | 0.0 | 74.2 | 25.8 | 0.0 | 84.0 | 16.0 | 0.0 | 0.0 |

Shading Coefficient/Solar Heat Gain Coefficient
Glass + Shade Fabrics Hung Internally

| Catalina Color | SC (*Single glass) + Int shade | | | SHG (Single glass) + Int shade | | |
|----------------|--------------------------------|---------|---------|--------------------------------|---------|---------|
| | 1/8" CI | 1/4" CI | 1/4" HA | 1/8" CI | 1/4" CI | 1/4" HA |
| Hermosa | 0.25 | 0.26 | 0.28 | 0.22 | 0.23 | 0.24 |
| Runyon | 0.23 | 0.24 | 0.27 | 0.20 | 0.21 | 0.23 |